

Quiz 9: Self Attention Layer

*Required

1. Please enter your name: *

The Self Attention Layer: Description

We would like to learn contextual embeddings for the words in "Tom a été entarté cet été".

In order to use the attention mechanism, we define the projections of the embeddings (X^t) onto the d_q -dimensional query space, d_k -dimensional key space and d_v -dimensional value space:

$$\begin{aligned}\mathbb{R}^{d_q} \ni q^t &= W_Q^T X^t \\ \mathbb{R}^{d_k} \ni k^t &= W_K^T X^t \\ \mathbb{R}^{d_v} \ni v^t &= W_V^T X^t\end{aligned}$$

2. What is the shape of W_Q

1 point

Mark only one oval.

$$W_Q \in \mathbb{R}^{D \times d_q}$$

(a)

$$W_Q \in \mathbb{R}^{d_q \times D}$$

(b)

3. What condition should be satisfied to calculate the scaled dot product alignment function used in Section 1

1 point

Mark only one oval.

$$d_q = d_k$$

$$d_v = d_k$$


(a)

(b)

$$d_q = d_v$$

(c)

Let us focus on the first "été" in "Tom a été entarté cet été".



4. Which expression is correct if we use the scaled dot product as an alignment function 1 point
and the softmax as the distribution function ?

Mark only one oval.

$$A(q^3, \{k^{t'}, v^{t'}\}_{1 \leq t' \leq T}) = \sum_{t=1}^T \frac{\exp(\frac{q^3 \cdot k^t}{\sqrt{d_k}})}{\sum_{t'=1}^T \exp(\frac{q^3 \cdot k^{t'}}{\sqrt{d_k}})} v^t$$

$$A(q^3, \{k^{t'}, v^{t'}\}_{1 \leq t' \leq T}) = \sum_{t=1}^T \frac{\exp(\frac{q^3 \cdot k^t}{\sqrt{d_k}})}{\sum_{t'=1}^T \exp(\frac{q^3 \cdot k^{t'}}{\sqrt{d_k}})} v^t$$

(a)

(b)

$$A(q^3, \{k^{t'}, v^{t'}\}_{1 \leq t' \leq T}) = \sum_{t=1}^T \frac{\exp(q^3 \cdot k^t)}{\sum_{t'=1}^T \exp(q^3 \cdot k^{t'})} v^t$$

(c)

5. What is the interpretation of the attention vector: 1 point

$$A(q^3, \{k^{t'}, v^{t'}\}_{1 \leq t' \leq T})$$

Mark only one oval.

- It represents the contextual embedding of the word "été" in the first position
- It represents the contextual embedding of the word "été" in the second position
- It represents the contextual embedding of the word "été" in both positions

6. Suppose the query q^3 represents the question "What happened to Tom ?". Which attention weight will have the highest value ? 1 point

Mark only one oval.

α_1

α_4

(a)

(b)

α_T

(c)

7. Suppose the query q^3 represents the question "When does that happen to Tom ?". 1 point
Which attention weight will be the highest ?

Mark only one oval.

α_1

α_4

(a)

(b)

α_T

(c)

8. Let N be the batch size. After applying the Self Attention Layer to the whole batch, 1 point what is the change in the tensor shape ?

Mark only one oval.

$$(N, T, D) \rightarrow (N, T, d_q)$$

(a)

$$(N, T, D) \rightarrow (N, T, d_v)$$

(b)

$$(N, T, D) \rightarrow (N, d_k)$$

(c)

The Learning Process

9. What are the parameters of the previous layer ?

1 point

Mark only one oval.

$$W_Q, W_K, W_V$$

$$\{q^t, k^t, v^t\}_{1 \leq t \leq T}$$

(a)

(b)

$$\{q_i, k_i, v_i\}_{1 \leq i \leq n}$$

(c)

10. What is the total number of parameters ?

1 point

Mark only one oval.

$$D(d_q + d_k + d_v)$$

$$d_q + d_k + d_v$$

(a)

(b)

11. Does the Self Attention Layer take into account the sequentiality of the data ? 1 point

Mark only one oval.

Yes

No

This content is neither created nor endorsed by Google.

Google Forms